

# SNDCP (V7.0.0) Protocol Modules for TTCN-3 Toolset with TITAN, User Guide

János Kövesdi

Version 198 17-CNL 113 576, Rev. A, 2013-09-05

# Table of Contents

About This Document .....	1
How to Read This Document .....	1
Presumed Knowledge .....	1
System Requirements .....	1
Protocol Modules .....	1
Overview .....	1
Installation .....	1
Configuration .....	2
Terminology .....	2
Abbreviations .....	2
References .....	2

# About This Document

## How to Read This Document

This is the User Guide for the SNDCP protocol module. The SNDCP protocol module is developed for the TTCN-3 Toolset with TITAN. This document should be read together with Function Specification [3].

## Presumed Knowledge

To use this protocol module the knowledge of the TTCN-3 language [1] and TITAN Test Executor [2] is essential.

## System Requirements

Protocol modules are a set of TTCN-3 source code files that can be used as part of TTCN-3 test suites only. Hence, protocol modules alone do not put specific requirements on the system used. However, in order to compile and execute a TTCN-3 test suite using the set of protocol modules the following system requirements must be satisfied:

- TITAN TTCN-3 Test Executor R7A (1.7.pl0) or higher installed. For installation guide see [5].

NOTE

This version of the protocol module is not compatible with TITAN releases earlier than R7A.

## Protocol Modules

### Overview

Protocol modules implement the messages structure of the related protocol in a formalized way, using the standard specification language TTCN-3. This allows defining of test data (templates) in the TTCN-3 language [1] and correctly encoding/decoding messages when executing test suites using the Titan TTCN-3 test environment [2].

Protocol modules are using Titan's RAW encoding attributes [4] and hence is usable with the Titan test toolset only.

### Installation

The set of protocol modules can be used in developing TTCN-3 test suites using any text editor. However to make the work more efficient a TTCN-3-enabled text editor is recommended (e.g. `nedit`, `xemacs`). Since the SNDCP protocol is used as a part of a TTCN-3 test suite, this requires TTCN-3 Test Executor be installed before the module can be compiled and executed together with other parts of

the test suite. For more details on the installation of TTCN-3 Test Executor see the relevant section of [5].

# Configuration

None.

# Terminology

No specific terminology is used.

# Abbreviations

## TTCN-3

Testing and Test Control Notation version 3

# References

[1] ETSI ES 201 873-1 v.3.2.1 (2007-02)

The Testing and Test Control Notation version 3. Part 1: Core Language

[2] User Guide for the TITAN TTCN-3 Test Executor

[3] Protocol Modules for TTCN-3 Toolset with TITAN, Function Specification

[4] Programmer's Technical Reference for the TITAN TTCN-3 Test Executor

[5] Installation Guide for the TITAN TTCN-3 Test Executor